

Product details

[illegible]

- 1) $\frac{d}{dt} \left(\frac{1}{r^2} \right) = -\frac{2}{r^3} \frac{dr}{dt}$
- 2) $\frac{d}{dt} \left(\frac{1}{r^2} \right) = -\frac{2}{r^3} \frac{dr}{dt}$
- 3) $\frac{d}{dt} \left(\frac{1}{r^2} \right) = -\frac{2}{r^3} \frac{dr}{dt}$
- 4) $\frac{d}{dt} \left(\frac{1}{r^2} \right) = -\frac{2}{r^3} \frac{dr}{dt}$
- 5) $\frac{d}{dt} \left(\frac{1}{r^2} \right) = -\frac{2}{r^3} \frac{dr}{dt}$
- 6) $\frac{d}{dt} \left(\frac{1}{r^2} \right) = -\frac{2}{r^3} \frac{dr}{dt}$
- 7) $\frac{d}{dt} \left(\frac{1}{r^2} \right) = -\frac{2}{r^3} \frac{dr}{dt}$
- 8) $\frac{d}{dt} \left(\frac{1}{r^2} \right) = -\frac{2}{r^3} \frac{dr}{dt}$

□ □ □ □ □ □ □ □ □ □ □ □ □ □

- 1) $\frac{1}{x^2} = x^{-2}$
- 2) $1200 \cdot \frac{1}{x^2} = 1200x^{-2}$
- 3) $\frac{d}{dx} x^{-2} = -2x^{-3}$
- 4) $\frac{d}{dx} 1200x^{-2} = 1200 \cdot (-2)x^{-3} = -2400x^{-3}$ 12 %
- 5) $-2400x^{-3} = -\frac{2400}{x^3}$

PE

[illegible]

□□□□□□□□ □□□□□□□□□□□□□□□□□□



orient Honest
MEDICAL INTERNATIONAL



